1490005010

ITSV-5

HD-IP-Videotelefon mit 8-Zoll-Bildschirm

- 16 Leitungen mit bis zu 16 SIP-Konten
- 8 Zoll (1280×800) kapazitiver 10-Punkt-Touchscreen HD IPS LCD
- Integrierte 2-Megapixel-CMOS-Kamera mit schwenkbarem Verschluss
- 12-Wege-Audiokonferenzen und 3-Wege-Videokonferenzen mit 1080p und 30 Bildern pro Sekunde
- HD-Freisprecheinrichtung mit zwei Mikrofonen, Rauschunterdrückung, erweiterter Echounterdrückung und hervorragender Doppelsprechleistung
- 4-Kern 2,0 GHz ARM Cortex A55 Prozessor mit 4 GB RAM und 16 GB eMMC Flash

Zenitel Connect Video Intercom SIP Bluetooth IC-Edge ICX-AlphaCom Audio HD Voice Video

H.264

Beschreibung

Das ITSV-5 ist ein leistungsstarkes IP-Videotelefon mit Android 11, einem 8-Zoll-Touchscreen, Echtzeit-HD-Videotelefonie, integriertem WLAN, Bluetooth und vielem mehr. Das ITSV-5 bietet erweiterte SIP-Telefoniefunktionen und ist sofort einsatzbereit mit unseren IP-Intercom-Plattformen IC-EDGE und ICX-AlphaCom integriert.

Weitere Informationen finden Sie im Zenitel Wiki

Technical Dimensions

www.zenitel.com info@zenitel.com Last revision date: 2025-10-17 12:06

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spezifikationen

ALLGEMEIN

Grafikdisplay	8 Zoll (1280 x 800) kapazitiver (10 Punkte) Touchscreen IPS LCD
Kamera	Schwenkbare 2-Megapixel-CMOS-Kamera mit Sichtschutz, 1080P@30fps
Zusatzanschlüsse	RJ9-Headset-Buchse (ermöglicht EHS mit Plantronics-Headsets), 3,5-mm-Stereo-Headset mit Mikrofon, USB 3.0-Anschluss, Typ C, HDMI-Ausgang, HDMI-Eingang
Funktionstasten	2 Funktions-Touch-Tasten LAUTSTÄRKE +/-, 3 dedizierte Android-Touch-Tasten HOME, MENÜ und ZURÜCK
Video-Codec	H.263, H.264 BP/MP/HP
Videoauflösung	Bis zu 1080p
Videobildrate	Bis zu 30 fps
Betriebstemperaturbereich	0 °C bis +40 °C
Lagertemperaturbereich	-10˚C bis +60˚C
Relative Luftfeuchtigkeit	10 % – 90 % nicht kondensierend
Energieoptionen	Power over Ethernet (PoE & PoE+) oder Netzteil.
Stromversorgung über Ethernet	802.3af Klasse 3, 802.3at Klasse 4
Netzteil	Eingang: 100–240 V AC, 50–60 Hz; Ausgang 12 V DC, 1,5 A
Netzwerkschnittstelle	2 x RJ45 (Ethernet) 10/100/1000 Mbit/s mit integriertem PoE/PoE+
Bluetooth	Integriert, Bluetooth 5 + EDR
W-lan	Integriert, Dualband 2,4 & 5 GHz mit 802.11 a/b/g/n/ac/ax, 2T2R, Wi-Fi Display und AirPlay
Sicherheit	Passwörter auf Benutzer- und Administratorebene, MD5- und MD5-Sitzungsbasierte Authentifizierung, 256-Bit-AES-verschlüsselte Konfigurationsdatei, TLS, SRTP, HTTPS, 802.1x-Medienzugriffskontrolle, Unterstützung für Kensington Security Slot (Kensington Lock), sicherer Start gegen Hackerangriffe
Protokolle/Standards	SIP RFC3261, TCP/IP/UDP, RTP/RTCP, HTTP/HTTPS, ARP, ICMP, DNS (A-Eintrag, SRV, NAPTR), DHCP, PPPoE, SSH, TFTP, NTP, STUN, SIMPLE, LLDPMED, LDAP, TR-069, 802.1x, TLS, SRTP, IPv6, OpenVPN®.

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Audiotechnik	Breitband-Opus, Breitband-G.722, G.711µ/a, G.729A/B, G.726-32, iLBC, In-Band- und Out-of-Band-DTMF (In-Audio, RFC2833, SIP INFO), VAD, CNG, AEC, PLC, AJB, AGC, ANS, Noise Shield 2.0
Sprachenunterstützung	Englisch, Deutsch, Italienisch, Französisch, Spanisch, Portugiesisch, Russisch, Kroatisch, Chinesisch, Koreanisch, Japanisch, Tschechisch.
Einhaltung	FCC: CFR 47 Teil 15 Unterteil B Klasse B; CFR 47 Teil 15 Unterteil C; CFR 47 Teil 15 Unterteil E; UL 60950-1 (Netzteil); Teil 68 (HAC) CE: EN55032 Klasse B; EN55035; EN61000-3-2; EN61000-3-3; EN62368-1; EN300328; EN301893; EN301489-1; EN301489-17; EN62311; RoHS RCM: AS/ACIF S040 AS/CA S004; AS/NZS CISPR 32; AS/NZS 62368.1; AS/NZS 4268 HDMI-Quelle und -Senke, HAC
Abmessungen (B x L x H)	263 x 174 x 48 (BxLxH) mm
Gewicht	1,08 kg
Garantie	2 Jahre Standardgarantie, verlängerbar auf insgesamt 5 Jahre (Aufpreis)

Zubehör

Wall Mount Bracket for ITSV-5

Artikelnummer 1490009007

Used With

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

TCIV-2+ I Video-Sprechstellen

IP- und SIP-Video-Sprechstellen

Artikelnummer 1008315020

TCIV-3+ I Video-Sprechstellen

IP- und SIP-Video-Sprechstellen

Artikelnummer 1008315030

TCIV-5+ I Video-Sprechstellen

IP- und SIP-Video-Sprechstellen

Artikelnummer 1008315050

TCIV-6+ | Video-Sprechstellen

IP- und SIP-Video-Sprechstellen

Artikelnummer 1008315060

TKIV+ Video-Sprechstellenmodul

Turbine Video - VoIP-Intercom-Modul

Artikelnummer 1008331010

TEIV-4+ | Video-Türsprechanlage mit RFID-Kartenleser

IP- und SIP-Video-Türsprechanlage mit RFID-Kartenleserplatz

Artikelnummer 1008318240

TEIV-1+

Turbine Extended IP-Video-Sprechanlage mit Tastenfeld

Artikelnummer 1008317110

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.