zenitel

DATASHEET



3005020020

ETB-100A

Poste principal, montage sur panneau, 10 lignes

Description

- Poste principal avec sélection de10 lignes
- Sortie de ligne 100 V
- Appels généraux
- Haut-parleur de contrôle / microphone
- Connecteur pour microphone à main ou col de cygne
- Rétroéclairage ajustable
- Notification des appels entrants par buzzer
- Volume ajustable
- Signalisation des appels

www.zenitel.com info@zenitel.com Last revision date: 2023-09-11 20:00

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.


ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

- Sortie pour les appareils de signalisation
- Alimentation 24 VDC
- Entrée audio depuis le système externe

Technical Dimensions

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



www.zenitel.com info@zenitel.com Last revision date: 2023-09-11 20:00

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL

Matériau / Finitions	Aluminium / Noir
Montage	Encastré avec des vis 4 x 4 mm
Terminaux	Bornier à vis enfichables pour câble de max. 2,5 mm2
Presse-étoupe	6 x PG-16
Indice de Protection IP	IP-22
Dimensions (LxHxP)	240 x 144 x 130 (avec étoupes)
Dimensions de découpe	224 x 132 mm
Poids	Environ 1,8 kg
Entrée microphone	Contact pour microphone à main ou col de cygne
Entrée / Switch 0 dB	Pour les appels généraux externes (ETB-100A)
Switch	Bouton pressoir avec LED d'indication
Alimentation	24 - 32 VDC
Consommation de courant maximale	2A
Puissance de sortie	30 W RMS
Gamme de fréquence	200 Hz - 8 KHz (-3 dB)
Températures de fonctionnement	De -20°C à +55°C

Accessoires

www.zenitel.com info@zenitel.com Last revision date: 2023-09-11 20:00

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



WBOKS

Boîtier applique pour ETB-5/10 et CTB-10/20

Référence Produit: 3005020065



ETC-1-TB

Microphone à main

Référence Produit: 3005020029



MB-30G

Microphone col de cygne

Référence Produit: 3005020033

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.