zenitel

DATASHEET




2810010054

# CAB42FW

Baie 42U, 19", châssis fixe de 810 x 2165 x 630 mm, IP-22

## Description

Notre nouvelle gamme de baies multifonctions a été conçue pour être utilisée par la Marine. Ces baies conviennent parfaitement à l'installation de composants d'un système afin de créer un système complet.

L'armoire de 42U mesure80 cm de large et 60 cm de profondeur avec un châssis fixe de 19 pouces pour jusqu'à 42U. Elle inclut un rail DIN sur la partie inférieure et peut accueillirdes modules de redondance optionnels. Elle est équipée d'un système de ventilation.

Cette armoire convient à:

- Modules avancés ACM
- Sonorisation SPA-V2
- Radio
- LAN
- Vidéosurveillance
- TV IP
- DECT
- Recherche de personnes




www.zenitel.com info@zenitel.com

Last revision date: 2023-08-17 10:30

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

# Technical Dimensions




| CABINET TECHNICAL DATA | |
|---|---|
| MAKER | RITTAL |
| MODEL | TS 8806.500 |
| COLOR | RAL 7035 |
| BASE WEIGHT | TBD |





Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

# Spécifications

| GÉNÉRAL | |
|---|---|
| Dimensions (LxHxP) | 810 x 2165 x 630 mm |
| Couleur | RAL 7035 |
| Matériau | Acier |
| Indice de Protection IP | IP-22 |
| Montage | Au sol |
| Entrée de câble | Partie inférieure (disponible sur la partie supérieure sur demande) |

# Accessoires



CAB-DH-PP

Door handle with push-button & pad-lock for CABxx

Référence Produit: 2810011064



CAB-DH-P

Door handle with push-button for CABxx

Référence Produit: 2810011063



CAB-DH-K

Door handle with key-lock for CABxx

Référence Produit: 2810011062



www.zenitel.com info@zenitel.com Last revision date: 2023-08-17 10:30

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.