zenitel

DATASHEET

1020600315

VMP-503

Poste principal avec haut-parleur



Description

- Conçu pour une utilisation avec les serveurs AMC
- Fixation murale
- Conversation ouverte mains-libres ou privée avec le combiné VMP-211 ou VMP-250
- Haut-parleur interne
- Microphone électret intégré garantissant une excellente qualité de voix
- Clavier équipé de larges touches avec touche d'annulation (C) et touche de commande (M)
- Diffusion d'annonces via les appels généraux et groupés
- Fonctionnalité de rappel automatique disponible

www.zenitel.com info@zenitel.com


Last revision date: 2024-05-14 14:36

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

- Les programmes audio peuvent être sélectionnés et reçus
- Bornier à vis optionnel pour faciliter le raccordement des câbles et l'installation du poste

Technical Dimensions



Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL	
Alimentation	Alimenté par le serveur
Câble requis	Câble 2 paires torsadées 0,5 mm2
Connexions	Bornier à vis
Sortie haut-parleur	1,4 W
Impédance du haut-parleur interne	63 Ohm
Fréquence	300 - 5000 Hz
Températures de fonctionnement	De -40°C à +55°C
Impédance du microphone pour combiné externe	200 - 600 Ohm
Matériel	Plastique Bayblend, clavier en PVC traité
Couleur	Gris
Indice de Protection IP	IP-65
Dimensions (LxHxP)	124 x 224 x 63 mm
Poids	0,75 kg

Accessoires

www.zenitel.com info@zenitel.com Last revision date: 2024-05-14 14:36

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



VMP-211

Combiné mural

Référence Produit:
3006202024



VMP-250

Combiné waterproof pour poste principal industriel, montage mural

Référence Produit:
1020600700

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.