2340110021

SPA-M6-D

Panneau de sonorisation double, 6 zones, appels généraux, éclairage ajustable, montage encastré



Onboard communication

Description

- Panneau de sonorisation pour système double
- Préamplificateur intégré avec niveau du signal et tonalités préréglés
- 6 boutons de sélection des zones de sonorisation
- Boutons "TALK", "ALL" pour les appels généraux et réglage de la luminosité
- Étiquette remplaçable pour chaque bouton
- Les boutons de sélection de zone disposent d'un éclairage de confirmation d'activation
- Montage encastré, un boîtier pour le montage en applique est disponible
- Relais mute local pour le haut-parleur externe

Ce panneau de sonorisationVingtor-Stentofon permet de diffuser des messages dans 1 à 6 zones dans un double système de sonorisation et d'alarme générale SPA-V2. Il convient parfaitement à un montage mural ou en console.

La fonction mute permet de couper le son des haut-parleurs dont la proximité avec le panneau de sonorisation entraîne un effet Larsen. Cette fonction doit être utilisée en complément d'une boîte de relais.


Important : un microphone doit être commandé séparément.


Technical Dimensions


www.zenitel.com info@zenitel.com Last revision date: 2025-08-05 12:30

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.







Related item:

SPA-M6BOKS Wall mounting box for SPA-M1/M6 panels Item.no. 3005010155

MB-30G Gooseneck Microphone Item.no.3005020033

ETC-1-TB Hand Microphone Item.no.3005020029


Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL	
Dimensions (LxHxP)	144 x 144 x 82 mm
Poids avec microphone	0,6 kg
Matériau	Aluminium anodisé noir
Montage	Encastré, en applique avec boîtier
Signal de sortie	0,775 mV, 0 dB
Connexions	Borniers à vis enfichables pour câble de 2,5 mm2
Presse-étoupes	4 x PG-16
Câbles requis	6 x 2 x 0,75 mm2
Relais mute local, sortie	24 VDC au maximum 50mA
Indice de Protection IP	IP-44

Accessoires



SPA-M6BOKS

Boîtier de montage en applique pour panneaux SPA-M1/M6 et VM15/50-RD

Référence Produit: 3005010155



MB-30G

Microphone col de cygne

Référence Produit: 3005020033



ETC-1-TB

Microphone à main

Référence Produit: 3005020029



EMMAR-1H

Microphone à main pour panneaux d'accès en intérieur Exigo

Référence Produit: 1023533013

www.zenitel.com info@zenitel.com Last revision date: 2025-08-05 12:30

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.