zenitel

DATASHEET

3005020005

CTB-20 W/V01

Panneau opérateur



IP-66

Description

- Panneau opérateur waterproof avec sélection 20 lignes
- Haut-parleur externe HP-8
- Microphones P-66 et P-66/10 en option
- Fonctionne avec les unités centrales CU-20 et CU-200
- Appels simples, de groupe et généraux
- Rétroéclairage ajustable

www.zenitel.com info@zenitel.com Last revision date: 2023-09-11 19:55

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

- Boutons éclairés
- Notification des appels entrants par buzzer
- Volume ajustable
- Signalisation des appels
- Fixation murale

www.zenitel.com info@zenitel.com Last revision date: 2023-09-11 19:55

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL	
Matériau / Finitions	Aluminium / Acier inoxyable, Boîtier en plastique ABS
Montage	Mural avec des vis 4 x 4mm
Terminaux	Borniers à vis enfichables pour câble de max. 2,5 mm
Dimensions (LxHxP)	300 x 160 x 156 mm
Poids	Environ 1,4 kg
Connexions	Unité centrale, haut-parleurs externes
Face avant	Film graphique
Switch	Bouton pressoir avec LED d'indication
Contact microphone	Amphenol avec capuchon IP-67
Microphone waterproof	P-66 ou P-66/10, voir les fiches technique dédiées
Haut-parleur	Haut-parleur externe, HP-8 8 Ohm
Indice de Protection IP	IP-66

Accessoires

www.zenitel.com info@zenitel.com Last revision date: 2023-09-11 19:55

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



P-66

Microphone à main
waterproof

Référence Produit:
3005020039



P-66/10

Microphone à main
waterproof avec câble 10 m

Référence Produit:
3005020040

www.zenitel.com info@zenitel.com Last revision date: 2023-09-11 19:55

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.