zenitel

DATASHEET

3005020001

CTB-10

Panneau opérateur



Description

- Panneau opérateur CTB-10 avec sélection 10 lignes
- Fonctionne avec l'unité centrale CU-10
- Appels simples, de groupe et généraux
- Prise pour microphone à main ou col de cygne
- Rétroéclairage ajustable
- Boutons éclairés
- Notification des appels entrants par buzzer
- Volume ajustable

www.zenitel.com info@zenitel.com Last revision date: 2023-09-11 19:52

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

- Signalisation des appels
- Sortie pour les appareils de signalisation

www.zenitel.com info@zenitel.com Last revision date: 2023-09-11 19:52

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL	
Matériau / Finitions	Aluminium / Noir
Montage	Encastré avec des vis 4 x 4 mm, Boîtier optionnel pour le montage sur cloison
Terminaux	Borniers à vis enfichables pour câble de max. 2,5 mm
Presse-étoupe	2 x PG-16
Dimensions (LxHxP)	240 x 144 x 100 mm
Dimensions de découpe	224 x 132 mm
Poids	Environ 1,2 kg
Entrée microphone	Prise pour microphone à main ou col de cygne électret
Connexions externes	Unité centrale, microphones externes, haut-parleur externe
Face avant	Film graphique
Switch	Bouton pressoir avec LED d'indication
Haut-parleur	3 W / 16 Ohm
Indice de Protection IP	IP-22

Accessoires

www.zenitel.com info@zenitel.com Last revision date: 2023-09-11 19:52

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



WBOKS

Boîtier applique pour ETB-5/10 et CTB-10/20

Référence Produit: 3005020065



ETC-1-TB

Microphone à main

Référence Produit: 3005020029



MB-30G

Microphone col de cygne

Référence Produit: 3005020033

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.