zenitel

DATASHEET



2810010121

CAB42FWD

Baie 42U, 19", châssis fixe de 810 x 2165 x 830 mm, IP-22

Description

Notre nouvelle gamme de baies multifonctions a été conçue pour être utilisée par la Marine. Ces baies conviennent parfaitement à l'installation de composants d'un système afin de créer un système complet.

L'armoire de 42U mesure 80 cm de large et 80 cm de profondeur avec un châssis fixe de 19 pouces pour jusqu'à 42U. Elle inclut un rail DIN sur la partie inférieure et peut accueillir des modules de redondance optionnels. Elle est équipée d'un système de ventilation.

Cette armoire convient à :

- Modules avancés ACM
- Sonorisation SPA-V2
- Radio
- LAN
- Vidéosurveillance
- TV IP
- DECT
- Recherche de personnes

www.zenitel.com info@zenitel.com


Last revision date: 2025-02-05 09:42

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

- Horloges maîtres
- Système d'alimentation sans interruption (petit)

Technical Dimensions



CABINET TECHNICAL DATA	
MAKER	RITTAL
MODEL	TS 8808.500
COLOR	RAL 7035
BASE WEIGHT	TBD

www.zenitel.com info@zenitel.com Last revision date: 2025-02-05 09:42

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL	
Dimensions (LxHxP)	810 x 2165 x 630 mm
Couleur	RAL 7035
Matériau	Acier
Indice de Protection IP	IP-22
Montage	Au sol
Entrée de câble	Partie inférieure (disponible sur la partie supérieure sur demande)

Accessoires



CAB-DH-PP

Door handle with push-button & pad-lock for CABxx

Référence Produit: 2810011064



CAB-DH-P

Door handle with push-button for CABxx

Référence Produit: 2810011063



CAB-DH-K

Door handle with key-lock for CABxx

Référence Produit: 2810011062



CAB-AVIP55-230

Active ventilation unit IP55 for CABxx, 133mm height, 230VAC

Référence Produit: 2810011067

www.zenitel.com info@zenitel.com Last revision date: 2025-02-05 09:42

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



CAB-AVIP55-115

Active IP55 ventilation for CABxx, 133 mm height, 115 VAC

Référence Produit: 2810011068



CAB-AVT-115-230

Active ventilation for CABxx with glass door, 115-230VAC

Référence Produit: 2810011079



CAB-LED

CABxx LED System light w/sensor 100-240VAC, w/connection cable

Référence Produit: 2810011059



CAB-CE-S

Cable entry gland w/sealing membranes Ø7 to 26mm

Référence Produit: 2810011050



CAB-CE-M

Cable entry gland 14xM25/32

Référence Produit: 2810011048



CAB-CE-L

Cable entry gland 2xM25/32/40, 1xM32/40/50, 2xM40/50/160

Référence Produit: 2810011049



CAB-1GD-42

Cabinet glazed door 600x2000mm

Référence Produit: 2810011024



CAB-1SD-42

Cabinet steel door 600x2000mm

Référence Produit: 2810011080



CAB-BASE-68

Base / plinth for 600x800mm cabinets

Référence Produit: 2810011092

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.