

1020600771

## VSP-36-PEL-A

Headset with boom mic, headband, and 10m cable



- Headset for connecting directly to a VSP station
- ON / OFF switchbox w/ belt clip
- Excellent noise performance
- High attenuating ear shells
- Standard with 10 meter cable

### DESCRIPTION


The VSP-36-PEL-A headset brings hearing protection and communication in noisy environments into a new level of performance with newly designed speakers and microphone.

The dual cup give a modern and slim look and is specially designed to provide excellent noise attenuation.

### Applications

The VSP-36-PEL-A headset can enhance communication in noisy environments and other workplaces, where the workers need to be connected to their 2-way handheld or fixed systems throughout the day to help facilitate frequent contacts with co-workers.


# SPÉCIFICATIONS



## GENERAL

Termination	Flying leads/ferrules, prepared for screw terminals
Microphone	20,5 mm. dynamic noise cancelling, 240 Ohm± 30 %, sensitivity -57 dB+3 dB, 0 dB=1v/pa at 1kHz, frequency response: 50Hz-6KHz.
Earphone/Speakers	27 mm. diameter, 150 Ohm±15 %, SPL 124dB, at 600-1200Hz with input 15mW. Parallell connection
Temperature	-40 to +60 degrees C
Storage Humidity	< 90%
Protection	IP-54 (When worn)
Attenuation rating (HML)	H=32 dB / M=28 dB / L=20
Attenuation rating (SNR)	30 dB
CE Certificate no.	12151RHS01
Dimension (HxD)	Approximately 250 x 150 mm. (adjustable).
Weight	0.4 kg
Colour	Black/Yellow
Manufacturer	Zenitel (A-kabel)
Cable	10m

**TECHNICAL DIMENSIONS**



**ACCESSOIRES**



**HYGIENE KIT FOR HEADSET**  
Item Number: AK6501



**SPARE BOOM MICROPHONE FOR HEADSET**  
Item Number: AK6070



**HEADSET STOWAGE BRACKET**  
Item Number: 3006090494



**SPARE SWITCHBOX W/CABLE FOR VSP-36-PEL-A**  
Item Number: 3006600058

**USED WITH**

1020600931

**VSP-211-L**

Poste principal - Téléphone autogénérateur - 12 directions



**1020600935**

**VSP-213-L**

Poste principal - Système de téléphone autogénérateur - 12 directions



**1020600943**

**VSP-223-L**

Poste principal - Système de téléphone autogénérateur - 12 directions



**3006200025**

**VSP-211M-L**

Poste principal - Téléphone autogénérateur - 20 directions



**3006200028**

**VSP-212M-L**

Poste principal avec relais - 20 directions



**3006200029**

**VSP-213M-L**

