zenitel

DATASHEET



3006100036

DH-50

IP67 Horn Loudspeaker for Maritime and Industrial Applications

- Designed for reliable sound distribution across large areas
- Suitable for maritime and demanding industrial environments
- IP67-rated protection against dust and water ingress
- Fiberglass-laminated polyester construction
- Adjustable mounting bracket for directional positioning
- Designed for use with the DST-100 driver unit
- RAL 7035 finish
- Suitable for exposed environmental conditions

IP67

Description

The DH-50 is a robust horn loudspeaker designed for reliable sound distribution across large areas in demanding maritime and industrial environments. Its large horn design provides efficient sound projection, making it suitable for applications where announcements, alarms and other audio signals need to reach personnel over extended distances.

Constructed from fiberglass-laminated polyester and designed for exposed environments, the DH-50 provides IP67 protection against dust and water ingress. The adjustable mounting bracket allows the horn to be positioned according to the required coverage area.


The DH-50 is designed for use with the DST-100 driver unit, providing a flexible solution for high-power public address and general alarm applications.

Technical Dimensions

www.zenitel.com info@zenitel.com Last revision date: 2026-09-30 08:25

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL	
Material / Colour	Fiberglass laminated polyester / RAL 7035
Mounting	Bracket
Weight	5.15 kg
Protection	IP67
Environmental Condition	Exposed
Note! See data sheet DST-100 for further specification	

Used With



DST -100

100 W Driver Unit for DH-50 Horn

Item Number: 3006100043



DST-100-MED

100 W MED-Approved Driver Unit for DH-50 Horn

Item Number: 2131000164

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.