

1008140225

TA-22B

Industrial Plugbox & Cable for Headset with PTT



- ✓ 10m cable
- ✓ Compact, rugged plugbox with PTT for Industrial application
- ✓ IP Rating: IP67
- ✓ For use with AK5850HS Headset
- ✓ Low smoke and halogen free cable
- ✓ Designed for Turbine Industrial intercoms



ICX ICX-AlphaCom  Exigo  IP67

Description


The TA-22B Cable and Plugbox complements the AK5850HS Headset in offering a long-range (10 meters), robust, pluggable solution meeting industrial headset requirements. Once connected with the AK5850HS, the plugbox offers a water- and dust-tight connection (IP67) as well as an easy-to-reach PTT button.

Any headset using a standard Nexus 4-pole connection is compatible with the TA-22B (applies to dynamic microphone only - please observe impedances and microphone sensitivities).

Technical Dimensions



Specifications



(C) Zenitel - All rights reserved

GENERAL

Cable Length	10 meters
Operational Temperature	-40°C to +60°C
Ingress Protection (IP)	IP67 (once connected)

Accessories



Headset Stowage Bracket

Headset stowage Bracket for Wall mounting

Item Number: 3006090494

Used With



TFIE-1

IP and SIP Intercom

Item Number: 1008122010



TFIE-2

IP and SIP Intercom

Item Number: 1008122020



EAPII-1

Exigo Industrial Access Panel, 1 Button

Item Number: 1023201201



EAPII-6

Exigo Industrial Access Panel, 6 Buttons

Item Number: 1023201206



TFIE-6

IP and SIP Intercom

Item Number: 1008122060