

2211100512 C3115BT-POS

DECT Handset Rough with BT & amp; POS incl. belt clip DISCONTINUED PRODUCT, NO LONGER AVAILABLE.



Description

- ⊘ Water and dust resistant according to IP-65.
- Large 1.8" display, 7 lines with color-coding Dynamic display with up to 16 characters ineach line, each message can contain 198 characters.
- Built-in vibrator for noisy environments or discretion is required.
- High battery capacity LI-lon battery.
- 2.5 mm jack for headset.
- Bluetooth option for headset
- Loud speaking and hands free function.
- Battery and belt clip included.
- A large dedicated alarm button on the top of the handset makes it easy to call for help.
- Extra function key on the right side. This is used for alarm acknowledge, send soft alarms or to call colleagues.
- Supports advanced alarm handling which contains symbols, color-code, priority, alarm ID, dynamic alarm list, extended alarm

page 1/3

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

list and automatic alarms.

- O Equipped with man down and motion alarm, for monitoring of movement or non movement.
- ⊘ Pull cord alarm is ideal for protection against theft, personal attack or for use in distress situations

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL

Size (WxHxD)	152 x 53 x 27 mm
Weight	0.138 kg

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.