

2220012150

## GLC-SX-MMD

Cisco 1000Base-SX SFP Transceiver Module for MultiMode Fiber - IEC60945 Compliant



---

### Description

The 1000BASE-SX SFP compatible with the IEEE 802.3z 1000BASE-SX standard, operates on legacy 50  $\mu\text{m}$  multimode fiber links up to 550 m and on 62.5  $\mu\text{m}$  Fiber Distributed Data Interface (FDDI)-grade multimode fibers up to 220 m. It can support up to 1km over laser-optimized 50  $\mu\text{m}$  multimode fiber cable.

IEC60945 Compliant, DNV Type approved for EXIGO and ACM systems.

# Specifications

## CABLING

Type	Multimode
	* 62.5/125 µm or 50/125 µm (core/cladding) diameter, graded-index, low metal content, multimode fiber optic, complying with ITU-T G.651 and ISO/IEC 793-2 Type A1b or A1a, respectively
Maximum distance	220 m (62.5 µm core diameter, 160 MHz*km bandwidth)
	275 m (62.5 µm core diameter, 200 MHz*km bandwidth)
	500 m (50 µm core diameter, 400 MHz*km bandwidth)
	550 m (50 µm core diameter, 500 MHz*km bandwidth)
	1000 m (50 µm core diameter, 2000 MHz*km bandwidth)

## DIMENSIONS & WEIGHT

Dimensions (W x D x H)	13.4 x 56.5 x 8.5 mm
Weight	0.075 kg

## Used With



### IE-3000-4TC

Cisco IE-3000-4TC Switch

Item Number: 2220012501



### IE-3000-8TC-E

Cisco IE-3000-8TC-E Switch w/Layer 3

Item Number: 2220012504



### IE-3000-8TC

Cisco IE-3000-8TC Switch

Item Number: 2220012503



### IE-3000-4TC-E

Cisco IE-3000-4TC-E Switch w/Layer 3

Item Number: 2220012502

DISCONTINUED



2960+24PC-L/IEC60945

Cisco Catalyst 2960+24PC-L  
Ethernet Switch Kit - IEC60945  
Compliant

Item Number: 2220012068



3560X-24P-L

CISCO Catalyst 3560X 24-port  
10/100/1000 PoE+ LAN Base

Item Number: 2220012122



3560X-24P-S

CISCO Catalyst 3560X 24-port  
10/100/1000 PoE+ IP Base

Item Number: 2220050007