

2809016030

Emergency Communication Wall Unit

1603 Economy Wall Unit

This product is only available in the Americas

Emergency points

Description

- ✓ Economical & Reliable Emergency Communications
- ✓ Extremely Durable Design - Weather, Environment and Vandal Resistant
- ✓ LED Blue Light Flashes when Unit is Activated - LED Blue Light is Constantly On
- ✓ Easy to Install, Versatile, Modular Design
- ✓ Unit Meets All ADA Requirements
- ✓ Design Can be Customized to Meet Customer Requirements
- ✓ Available painted in colors Blue, Red and Yellow (stainless steel version shown)
- ✓ Voltage Options - 120 VAC, 12/24 VDC & 24 VAC
- ✓ Note: All IP Turbine Intercoms require IP station license.

The emergency/security wall unit is a high visibility, vandal resistant, stainless steel unit designed for use with the Zenitel Emergency/Security Stations. The Emergency/Security Wall Unit can be painted in blue, red and yellow as required.


The wall unit is ideal for outdoor use in parking facilities, college campuses, medical centers and multi-building complexes. The wall unit has an integrated blue light encased in Lexan. The blue light is always lit, calling attention to the location of the emergency communication unit. When the intercom station is activated, the light flashes at 78 fpm. The light flashes until either actively terminated by the personnel receiving the call or automatically upon termination of the call itself.

The wall mount is made of a vandal resistant, 12-gauge vertical brushed stainless steel, designed to withstand prolonged exposure to harsh

environments. At the top of the unit is the blue light, housed in a vandal resistant, blue polycarbonate enclosure.

The Turbine series of stations and the 1600TA Plate with TA-18USA backbox (07216008140) are both ordered separately. See more information on the specifications page for part numbers.

Technical Dimensions



Specifications

TURBINE SERIES IP:

| | |
|--------------|---------------------------------------|
| 107216008140 | 1600 Turbine Plate w TA-18 USA Box |
| 1008111010 | TCIS-1 |
| 1008111020 | TCIS-2 |
| 1008111030 | TCIS-3 |
| 1008111040 | TCIS-4 |
| 1008111050 | TCIS-5 |
| 1008111060 | TCIS-6 |

TURBINE SERIES ANALOG:

| | |
|------------|---|
| 1008114010 | TCAS-1 |
| 1008114020 | TCAS-2 |
| 1008114030 | TCAS-3 |
| 1000968903 | Relay Board (required for Turbine Analog Stations) |

GENERAL

| | |
|---------------|--|
| Dimensions: | 32" H x 10" W x 8" D |
| Mount Weight: | 41 lbs. |
| Construction: | 12 gauge stainless steel with impact-resistant polycarbonate lens. |
| Mounting: | To wall or strapped to poll or kiosk. Optional strapping kit required. |

TURBINE SERIES VIDEO:

| | |
|------------|---------|
| 1008315020 | TCIV-2+ |
| 1008315030 | TCIV-3+ |
| 1008315050 | TCIV-5+ |
| 1008315060 | TCIV-6+ |

Used With



TCIS-1 | Audio Intercom

IP and SIP Intercom

Item Number: 1008111010



TCIS-2 | Audio Intercom

IP and SIP Intercom

Item Number: 1008111020



TCIS-3 | Audio Intercom

IP and SIP Intercom

Item Number: 1008111030



TCIS-4 | Audio Intercom

IP and SIP Intercom

Item Number: 1008111040



TCIS-5 | Audio Intercom

IP and SIP Intercom

Item Number: 1008111050



TCIS-6 | Audio Intercom

IP and SIP Intercom

Item Number: 1008111060