

2220012179

# C2911/DNV

Cisco 2911 Integrated Service Router Kit - IEC60945 Compliant



## Description

Cisco 2900 Series Integrated Services Routers offer embedded hardware encryption acceleration, voice- and video-capable digital signal processor (DSP) slots, optional firewall, intrusion prevention, call processing, voicemail, and application services. In addition, the platforms support the industries widest range of wired and wireless connectivity options such as T1/E1, T3/E3, xDSL, copper and fiber GE.

Cisco IOS® Software Universal image is installed on each ISR G2. The Universal image contains all of the Cisco IOS technology sets which can be activated with a software license. This allows your business to quickly deploy advanced features without downloading a new IOS image. Additionally, larger default memory is included to support the new capabilities.

IEC60945 Compliant, DNV Type approved for EXIGO and ACM systems

certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

# **Specifications**

Includes AC filter, 1-phase, 3A, 250VAC, Din-Rail Mount

#### **ENVIRONMENT**

Operating temperature	32 to 104ºF (0 to 40ºC)
Operating relative humidity	5% to 85% noncondensing

#### **ELECTRICAL CHARACTERISTICS**

Frequency	47 to 63 Hz
Maximum heat dissipation	716.55 BTU/hr
AC voltage	100 / 240 VAC
Current	2.2 / 1.0 A
Maximum power rating	210 W

#### **DIMENSIONS & WEIGHT**

Dimensions (W x D x H)	438.2 x 304.8 x 88.9 mm
Weight	8.2 kg
Mounting	Rack Mountable, 2HU

## **Accessories**









VWIC3-1MFT-T1/E1

Cisco 1-Port T1/E1 Multiflex Trunk Voice/WAN Interface Crd VIC2-2BRI-NT/TE

Cisco Two-port Voice Interface Card - BRI (NT and TE) VIC2-4FXO

Cisco Four-Port Voice Interface Card - FXO (VIC2-4FXO) VIC3-4FXS/DID


Cisco Four Port Voice Interface Card - FXS and DID

page 2/4









EHWIC-3G-HSPA+7

Cisco 3G HSPA+7 with GPS based MC8705

#### EHWIC-4G-LTE-G

Cisco 4G LTE EHWIC for Global 800/900/1800/2100/2600 MHz

#### PVDM3-16U32

Cisco PVDM3-16U32 16 to 32channel factory upgrade

#### SL-29-DATA-K9

Cisco Data License for Cisco 2901-2951



Cisco Unified Communications License for Cisco 2901-2951





## FL-CUBEE-5

Cisco Unified Border Element Enterprise License - 5 sessions



## FL-CME-SRST-5

CISCO Communication Manager Express or SRST-5 seat license



## FL-CME-SRST-25

CISCO Communication Manager Express or SRST-25 seat license

page 3/4

www.zenitel.com

SL-29-SEC-K9

2901-2951

Cisco Security License for Cisco

info@zenitel.com

Last revision date: 2022-08-26 09:28

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

# **Used With**



### 2960+24PC-L/IEC60945

Cisco Catalyst 2960+24PC-L Ethernet Switch Kit - IEC60945 Compliant

page 4/4