zenitel

DATASHEET



2810010054

CAB42FW

Cabinet floor 19" 42 HU 810x2165x630 mm fixed frame IP-22

This item has been replaced with 2810010114 - CAB42FW-V2

Description

This item has been replaced with 2810010114 - CAB42FW-V2

Our all new series of multi use cabinet are designet to be used in an marine environment. Perfect to install our 19" system components to create a complete system for your installation.

Cabinet variant 42 HU, 800 wide and 600 deep. Internal 19 inch fixed frame for up to 42 HU. Includes the choice of DIN rail mounting in bottom, prepared for optional power switch-over module and terminals. Comes prepared with ventilation and chassis ground.

This cabinet is suitable for:

- ACM Advanced modules
- SPA-V2 Public address
- Radio
- LAN
- CCTV
- IPTV


www.zenitel.com info@zenitel.com Last revision date: 2023-08-17 10:30

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

- DECT
- Paging
- Masterclock

Technical Dimensions



CABINET TECHNICAL DATA	
MAKER	RITTAL
MODEL	TS 8806.500
COLOR	RAL 7035
BASE WEIGHT	TBD

www.zenitel.com info@zenitel.com Last revision date: 2023-08-17 10:30

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL	
Dimensions (WxHxD)	810x2165x630 mm
Color	RAL 7035
Material	Steel
Ingress grade	IP-22
Mounting	Floor mounted
Cable inlet	Bottom (top available on request)

Accessories



CAB-DH-PP

Door handle with push-button & pad-lock for CABxx

Item Number: 2810011064



CAB-DH-P

Door handle with push-button for CABxx

Item Number: 2810011063



CAB-DH-K

Door handle with key-lock for CABxx

Item Number: 2810011062

www.zenitel.com info@zenitel.com Last revision date: 2023-08-17 10:30

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.