

3006202035

VMP-530VHM




Main Station In Waterproof Cabinet

 IP66




Description

- ✓ VMP-530VHM consist of main station VMP-530, with a waterproof, noise-compensated, handheld microphone P-66-VMP.
- ✓ Both items are interconnected and mounted inside a seawater-resistant cabinet
- ✓ Designed to be used together with ACM exchanges for wall mounting.
- ✓ To be used together with a separate loudspeaker
- ✓ Public Address messages via General Call and Group Calls
- ✓ Reception of Alarm signals with top priority
- ✓ Screw terminals for easy connection of installation cables and optionals

Technical Dimensions



NOTES:
1- The cabinet to be mounted on the wall



Specifications

SPECIFICATIONS

Operation voltage	Powered from exchange
Cable requirements	Twisted 2 pairs 0.5mm ² outer screen
Connections	Screw terminals
Loudspeaker Output	3.5 W (20 ohm)
Internal Loudspeaker impedance	50 ohm
Frequency range	500 - 5000 Hz
Material cabinet	Polycarbonate
Colour	RAL7035
IP- class	IP-66
Dimensions (mm)	300H x 200W x 152.5DT
Weight	4.5 kg
Specification VMP-530	See datasheet VMP-530 Doc.no. A100K 10531

Accessories



VML-1520

Horn Loudspeaker 15W, 20
OHM Waterproof

Item Number: 3006100088