

2310111063

**S6220-ESG1**

Spectra enhanced HD1080p Stainless steel, 24VAC



IP66

## Description

Pelco's high-speed IP-PTZ dome cameras take a leap in image quality with the new Spectra® Enhanced product offering. The top tier dome provides industry-leading image quality with a wide dynamic range (WDR) imaging system, 60 images per second video (ips), electronic image stabilization, and a whole host of features such as image defog and Pelco's full suite of behavioral analytics. These features, along with SureVision™ 2.0 and 130 dB WDR, make the camera system an ideal solution for d

- ✓ Up to 1920 x 1080 Resolution at up to 60 Images per Second with SureVision™ 2.0 and 130 dB WDR
- ✓ Up to 450° per Second Pan and Tilt
- ✓ Full Functionality Using Power Over Ethernet (HPoE and PoE+)
- ✓ Low Latency for Improved Pan and Tilt Driveability
- ✓ Defog Mode Provides Three Levels of Fog Removal Within the Image for Improved Image Quality
- ✓ Vivid Mode Can be Turned On/Off to Drastically Improve the Image Contrast and Color Saturation
- ✓ Electronic Image Stabilization (EIS)

- ✓ 16 Preset Tours, 256 Dome Presets, 32 Window Blanks
- ✓ Full Suite of Built-In Analytics Including AutoTracker, Adaptive Motion Detection, Abandoned Object, and More.
- ✓ 2 Simultaneous Video Streams: Dual H.264 or H.264 and Scalable MJPEG

Replaced by 2310111065

# Specifications

## GENERAL

Dimensions (ØxH)	218 x 282mm
Weight	3,1 Kg
Power	PoE
Power with heater	24VAC (3amp)