

3005010146

SPA-M1H-V2

PA Panel Single

THIS ITEM IS REPLACED BY 3005010204 - SPA-M1-V2





Description

- ✓ PA Panel for single system, all call
- ✓ Delivered with handheld microphone
- ✓ Built-in pre-amplifier with preset signal level and tone controls
- ✓ TALK button on panel and handheld microphone
- ✓ Flush mounting, back box for wall mounting is available
- ✓ Local mute contact for external loudspeaker (From hardware version 4.0)


This panel gives All Call Message in a SPA-V2 public address and general alarm single system. Installation in consoles or wall indoor.

Local mute function is used to break audio to loudspeakers where proximity to pa panel cause feedback. Available from hardware version 4.0 This function must be in combination with relay box.

Technical Dimensions



Cable inlet SPA-M1H 2x PG-16
Cable inlet SPA-M1H-D 4x PG-16



Ø4MM Cut out hole 127 x 127




Related item:
Wall mounting box
SPA-M6BOKS
O.No. 3005010155

Specifications

GENERAL

Size (WxHxD)	144 x 144 x 82
Weight w/microphone	0. 5 kg
Material	Black anodized aluminium
Mounting	Flush, wall with use of back box
Output signal	0.775mV 0dB
Sensitivity microphone	-55dB +- 3dB at 1kHz rel. 1V/Pa
Connections	Plugable screw terminals for 2.5 mm ² cable
Cable glands	4 x PG-16
Cable size	6 x 2 x 0.75mm ²
Local mute relay, output	24V DC @ maximum 50 mA
IP-rating	IP-44

Accessories



SPA-M6BOKS

Wall-mount box for SPA-M1/M6 and VM15/50-RD panels