



2211100516

C3105i DECT Handset Rough

Including Belt Clip

Description

- Water and dust resistant according to IP-65
- Large and clear 1.8" colour display
- Built-in vibrator for noisy environments or discretion is regired
- High battery capacity Li-ion battery
- 2.5mm jack for headset
- Loudspeaking and handsfree function
- Battery and belt clip included
- Personalized softkey
- 10 last alarms are stored in the handset, up to 32 characters in each message

The Rough DECT Handset is a robust, well designed and full-feature handset. It meets demands for easy mobility and is built for long-term dependability in harsh environments. In order to meet special requirements, the handset is IP-65 classified, meaning that it is dust tight and water resistant. The handset has a very high battery capacity with speech/standby time up to 16/150 hours. The handset is easy to use with a large backlit color display. The display provides calling information (calling number presentation) as well as phone book, call history, and phone setting.

page 1/5

To improve communication in noisy environments, the DECT handset has a headset jack for an active industrial headset and vibrator option, making the handset ideal for environments where a ringtone may not be loud enough to detect incoming calls and messages. Optionally an office type headset can be used to provide hands-free operation in other environments. A wide set of accessories can be provided for comfortable wear and phone usage such as charger, belt clip, leather poach handle. Each DECT phone requires a SIP user license in the Vingtor-Stentofon ACM system.

certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

Specifications

GENERAL

Dimension (LxWxH) mm	152 x 53 x 27
Weight	138 g (including battery)
Display	1.8" with 65000 colors
Operating temperature	0°C to 40°C
Speech/standby time	16/150
Environment	IP-65
Menu languages	English, German, French, Dutch, Portuguese, Norwegian, Swedish, Danish, Finnish, Spanish, Czech, Polish and Italian
Phone book	1000 records
Radio frequency	EMEA, 1881.792- 1897.344 MHz
Features	Vibrate and silent mode, Auto answer, Loud speaking mode, Volume control, Call history, Calling number presentation (CLIP), Redail from caller list, Key lock/ Automatic keylock, Headset connection
Included	
2211100703	Belt clip with connector for handset rough

page 3/5

ACCESSORIES

2211100560	Charger and Power Cable
9021804001	Charger C-31xx w/ port for USB programming with power supply
2211100706	Leather case incl. belt clip adapter
2211100711	Fixed belt clip, grey
2211100703	Spare Belt clip ("Swivel")
2211100601	Spare Battery rechargeable for C31XXi DECT handsets
9021504001	Spare Battery cover light grey
9021504003	Spare Front glass for C- 3105
9021801000	Spare Microphone for DECT handset C-31xx

Accessories



DECT Charger kit

Charger kit for C-31xx series DECT rough handsets. Includes Power Supply V3 100-230 Vac



Headset for DECT handset

V2

Headset

Used With





IP Base Station for KWS6500



IP DECT Server 400 1G8 Version

Server Base Station

page 5/5