


2211100522

## SMART1-SP-HS

Easy to use lightweight DECT handset.

DECT telephone with 2" screen.



 HD Voice

## Description

SPEAK is wireless telephone with 2" super clear screen designed for mobile workers in indoor environment. Combine SPEAK with SMART1 handsets and you will have a complete interference free 1880-1900MHz band solution for critical communications in onsite/indoor environments.

- ✓ 2" Display
- ✓ High Definition (HD) Audio G.722 (40-7000 Hz)
- ✓ DECT encryption according to EN 300 444 and EN 300 700
- ✓ Wide band speaker phone
- ✓ Easy to change battery
- ✓ Local telephone book with 100 entries

- ✓ Central phonebook with 3000 entries
- ✓ Headset connector 3,5mm
- ✓ Upgradable "over the air"
- ✓ Vibrator
- ✓ Polyphonic ring tones

*\* Item 2211100566, CMS Smart Message License for SPEAK: Needed for receiving messages and alarms on SPEAK Handset*

# Specifications

## GENERAL

Size in mm	140 x 48 x 25
Weight	136g
Display	2" TFT, 176x220 pixels, 3 colour MWI LED
Headset Jack	3.5mm, Iphone compliant
Phonebook	Local phonebook with 100 entries, Central phonebook with 3000 entries
Battery	1100mAh LithIon standard battery
Charging	Charge time: 5 hours, EU/US/AUS/UK plugs supported, Table charging cradle, Charging conditions: +5° to 45°
Talk Time	18h(NB), 12h(WB)
Standby	200hours
DECT	Europe, Latin America, US. 4 power levels, Encryption supported
Approvals	EN 301 406, EN 301 489-1, EN 301 489-6, EN 60950-1, FCC part 15

## Accessories

DISCONTINUED



### SMART1-AP

SMART1 multicell base station

Item Number: 2211000645

DISCONTINUED



### SMART1-MG

SMART1 Manager software for managing, controlling and updating the SMART1 handsets.

Item Number: 2211000646

DISCONTINUED



### CMS-SV

IP DECT Alarm and Message Server for SMART1 systems.

Item Number: 2211000656