

2340210024

ITS-7L-230V-2FL-1S-EX

Explosion-proof Light column with LED, flashing lights and loudspeakers or sirens.



- ✓ 7 LED symbols
- ✓ Withflashing lights
- ✓ WithLoudspeakers 110dB
- ✓ Lamp test/power supply indication
- ✓ Bulkhead mounting
- ✓ High quality components and modern concept
- ✓ Power supply: 230V AC
- ✓ Easy to install

Description

The Vingtor-Stentofon explosion-proof Light Column is a complete alarm tower designed for bulkhead mounting in board ships and particularly within the area of engine room, where requirements for several alarms signalization by visual and/or audible means exist. The Vingtor-Stentofon Light Columns System has been developed having in mind the basic idea of unifying all the alarms signalization within one common system. The explosion-proof Alarm light columns with LED illumination and audible and visual alarms provide visual and audible alarm signals, controlled by the control unit.


The explosion-proof light column comes equipped with integrated LE diodes, programable sirens for different tones, flashing lights and lamp test/power supply indication. LED symbols for different kind of alarms: GENERAL (green-white), CO2 (red), FIRE (red), MACHINERY (yellow), DMA (yellow), TELEPHONE (white), TELEGRAPH (white).

Recomended devices for offshore platform:

- ✓ 16 Light columns (ITS-L-V-FL-S)
- ✓ 2 Ex Light columns (ITS-L-V-FL-S-Ex)
- ✓ 1 Light panel (ITS-CR-L-24V)
- ✓ 1 Control Unit (ITCU-L-230V-Ex)

Each system can be designed and produced per technical project requirements: ITS-L-V-FL-S-EX; L: Number of LEDs; V: Power Supply; FL: Number of flashing lights; S: Number of Loudspeakers or Sirens; EX: Explosion Proof

Technical Dimensions



Specifications

GENERAL

IP-class	IP-66
Power Supply	230V AC, 110V AC, 24V DC
Siren/Loudspeaker	110 dB
Flashing Energy	5J
LEDs	Up to 12 symbols
Compliance	EEx de IIC T5/T6 (EEx d IIC T5/T6 for XB9)