


100964850x

# Audio Messaging

Licenses



---

---

## Description

- ✓ Support wide set of applications including auto-attendant, PA broadcasting, voice response and voice driven menus
- ✓ Safe and reliable storage of audio message in flash memory
- ✓ Easy to record messages from PC
- ✓ Easy to initiate audio messages from 3rd party systems using OPC, Vingtor-Stentofon SDK or Vingtor-Stentofon Data Protocol

Both the Basic and the Enhanced Audio Messaging Licenses have the capability of storing and playing audio messages from the Vingtor-Stentofon ACM system. The messages are stored in safe and reliable flash memory on the main processor card. The feature set of the license is compatible with that of the ASVP card, but offers some important functionalities in addition.

The audio messaging license offers a wide set of applications and functions, some of which are:

- ✓ Live PA and group call broadcast with recall for handling feedback and verifying messages
- ✓ Prestored PA and group call broadcast
- ✓ Scheduled or event-based PA and group call broadcast
- ✓ Auto-attendant with voice guided menus for handling incoming calls
- ✓ Voice response for call request waiting messages and absence messages
- ✓ Integration with 3rd party systems via OPC, Vingtor-Stentofon SDK and Vingtor-Stentofon Data Protocol

When the audio messaging license is activated, Vingtor-Stentofon ACM will have a set of default messages such as absence, alarm and general information messages. It is easy to modify the default messages as well as to add new messages. Both new and modified messages can be recorded from an intercom station.

Furthermore, it is possible to create messages on a PC and upload these to the system via AlphaWeb. This means that you can use your favorite audio and music programs to create messages, which can then be uploaded to the Vingtor-Stentofon ACM system.

The audio messaging license comes in three versions – Basic, Enhanced and PA Recall. The licenses are different in terms of:

- ✓ Audio storage capacity
- ✓ Set of default audio messages
- ✓ Interactive complex message generation (Enhanced License only)
- ✓ Compatibility with hardware versions (see Specifications overleaf)

# Specifications

## GENERAL

Field of use	Expanding a Vingtor-Stentofon ACM solution with advanced audio messaging functions
Memory type	Flash
Storage capacity	Basic license: 2 MB Enhanced license: 10 MB
Audio coding	16 kHz sampling rate (PCM/ADPCM)
Audio format	WAV files
Advanced functions	Message scheduling via Event Handler, PA recall (feedback and verification), Interactive complex messages (enhanced license only), Voice menu support, OPC support, STENTOFON SDK support, STENTOFON Data Protocol support, Priority broadcasting (alarm, high, normal, low)
1009648500 - Basic Audio Messaging License	Requires AMC-IP version 11 hardware, Functions included: Delayed PA broadcast using recall to prevent feedback problemsm 1 auto-attendant message, 2 MB memory storage for audio messages
1009648501	Requires AMC-IP version 11 hardware Functions included: Delayed PA broadcast using recall to prevent

1009648501 –  
Enhanced Audio  
Messaging License

using recall to prevent  
feedback problems, 3  
auto-attendant  
messages, 10 MB  
memory storage for  
audio messages, Full  
ASVP functionality

---

1009648502 – PA  
Recall License

Can be installed on both  
AMC-IP version 10 and  
AMC-IP version 11  
hardware Function  
included: Delayed PA  
broadcast using recall  
to prevent feedback  
problems

---