zenitel

DATASHEET

4000016787

P-3132

Remote Talkback Master Station



- Complies with IEC 60945 Standard for Marine Equipment
- DNV Type Approval
- CCS Type Approval

Onboard communication

Description

CIS Remote Talkback Master Station P-3132

Enhanced Maritime Communication Compliance: The P-3132

The CIS Remote Talkback Master Station P-3132 is a robust solution for maritime communication, complying with IEC 60945 Standard for Marine Equipment and featuring DNV type approval and NORSOK compatibility. This unit supports up to 15 substations and offers versatile control for comprehensive onboard communication strategies.

Highlights include:

- Comprehensive Communication Network: Supports communication with the master station and 3 other remote control units.

www.zenitel.com info@zenitel.com Last revision date: 2026-08-27 15:05

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.


- Integrated Audio: Features both an integrated microphone and loudspeaker, with additional connections for enhanced audio options.
- Volume Control & Power: Front volume control with 12W output power for clear sound across all environments.
- IEC 60945 Compliance: Meets strict standards for marine equipment, ensuring reliability and safety.

Designed for advanced communication needs, the P-3132 supports direct communication with the P-3130 and other remote stations, offering point-to-point, group, and all calls, along with emergency Public Address capabilities.

Technical Dimensions

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

MECHANICAL	
Dimensions (WxHxD)	192x144x100 mm
Weight	1.5 kg
Color	RAL 9005
Material	Aluminium / PC
Mounting	Flush / Console
Fixing	4 x M4 bolts
Access	Front
Cable Entry	Rear

ELECTRICAL	
Power Supply	24 VDC (22-32 VDC)
Frequency Range	300-3400 Hz
Power Consumption	25W (peak), 3W (typical)
Fuse	5x20 mm, 2A T
Heat Dissipation (typical/max)	< 3W / 10W
Termination	Screw terminals ≤ 1.5mm2
Compass Safe Distance	> 2.2 m

ENVIRONMENTAL	
Temperature	-15°C to +55°C
Humidity	+93% (at +40°C)
Ingress Protection Rating	IP-22

Accessories

www.zenitel.com info@zenitel.com Last revision date: 2026-08-27 15:05

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



Wallbox for CIS (192mm)

Wallbox for CIS Talkback System (144x192mm)

Item Number: 4000014258P



P-9029

Headset with boom mic, headband, and 10m cable

Item Number: 4000018610



P-9026

Dimmer module for CIS P-31XX Master Stations

Item Number: 4000017160



DIMMER BOARD FOR CIS 31XX

97301-022

Item Number: 4000018062



U2410

Foot Switch Indoor Use

Item Number: 3006206029



Goose Neck Microphone, 60 cm

Additional gooseneck microphone for CIS Talkback Master Stations

Item Number: 4000017171



Goose Neck Microphone, 30 cm

Additional gooseneck microphone for CIS Talkback Master Stations

Item Number: 4000017343



VML-1520

Horn Loudspeaker 15W, 20 OHM Waterproof

Item Number: 3006100088

Used With

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



P-3130

CIS Talkback Master Station

Item Number: 4000016791

www.zenitel.com info@zenitel.com Last revision date: 2026-08-27 15:05

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.