



4000013172

P-0043

Ex Interface for 3 Ex loudspeakers and call buttons

- Ex Interface for 3 Substations (Call line + loudspeaker)
- ✓ Low voltage directive 2006/95/EC
- CE marking directive 93/68/EEC




Description

The P-0043 is a substation interface unit for 3 Ex loudspeakers and call buttons.

Technical Dimensions

certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.



page 2/4

Specifications

The P-0043, Ex Interface for 3 Ex loudspeakers and call buttons is inteded for installation inSAFE AREA. <u>Ex loudspeaker and Call button</u> are Ex approved and intended for installation in HAZARDOUS AREA

MECHANICAL

Dimensions (WxHxD)	200 x 150 x 77 mm
Weight	1.2 kg
Color	RAL 7035
Material	ABS
Mounting	Wall
Fixing	4 x M3 bolts
Access	Front
Cable Entry	Bottom/Top
Gland Type	6 x M20, 1 x M25

ELECTRICAL

Power Supply	from Master station
Termination	Screw terminals

ENVIRONMENTAL

Temperature	-15°C to +55°C
Ingress Protection Rating	IP-44

Used With



GHG-411 EX

Callbox EX GHG 411



DSP-15 EExmN 15W/20

Ohm

Ex Speaker with 2 Cable Glands

page 4/4