

4000016471

ITCS-S

Signaling Unit for Inelteh Call System



- ✓ Signaling unit for Inelteh Call System
- ✓ Visual and audible call alerts
- ✓ Designed for hospital and cold room applications
- ✓ Compatible with ITCS and ITCS-A systems




Description

The ITCS-S is a signaling unit designed for use within the Inelteh Call System, primarily for hospital and cold room applications onboard ships. It provides a visual and audible alert when a call is triggered, ensuring timely response.

- ✓ Designed for shipboard environments – Reliable signaling for hospitals, cold rooms, and other critical areas.
- ✓ Visual and audible alerts – Enhances crew awareness and response time.
- ✓ Seamless integration – Works within the ITCS and ITCS-A call system configurations.

Used in conjunction with control and call units, the ITCS-S improves safety and communication in onboard facilities.

Technical Dimensions



All dimensions in mm

Specifications

MECHANICAL

Dimensions (WxHxD)	80x125x58 mm
Weight	0.24 kg

ENVIRONMENTAL

Protection	IP44
Temperature	-25°C to +70°C

Used With



ITCS-1A-24VDC

Single Call Control Unit for Inelteh Call System (24VDC)

Item Number: 4000018411

ITCS-2A-24VDC

Dual Call Control Unit for Inelteh Call System (24VDC)

Item Number: 4000018412

ITCS-1A-230VAC

Single Call Control Unit, 230 VAC

Item Number: 4000018932

ITCS-2A-230VAC

Dual Call Control Unit for Inelteh Call System (230VAC)

Item Number: 4000018931