

3005010096

SPA-AC6-D


REPLACED BY: SPA-AC6-D
Zenitel

Description

- ✓ Alarmpanel for dual system
- ✓ Activating abandon, general or manual alarms
- ✓ Alarm reset button
- ✓ Replaceable text label for each button
- ✓ Separate Emergency button (EMS) for PA-message
- ✓ Hinged transparent protecting cover for all buttons
- ✓ To be used together with SPA-M6D
- ✓ Flush mounting, back box for wall mounting is available

The alarm panel can start three alarms and emergency message in a SPA-V2 public address and general alarm dual system.

Technical Dimensions



Specifications

GENERAL

| | |
|-------------------------|--|
| Size (WxHxD) | 96 x 144 x 82 |
| Weight | 0.4 kg |
| Material | Black anodized aluminium |
| Mounting | Flush, wall with use of back box |
| Connections | Plugable screw terminals for 2.5 mm ² cable |
| Cable glands | 2 x PG-16 |
| Cable size | 6 x 2 x 0.75mm ² |
| IP-rating | IP-44 |
| Operating temperature | -15°C to +55°C |
| Environmental Condition | Protected |

PRODUCT VARIANTS

| | |
|------------|---|
| 2340110024 | SPA-AC6-D/US DUAL ALARM PANEL W/ COV. & ILL. ACC USCG REGULATION. |
|------------|---|

Accessories



ACBOKS

Wall-Mount Back Box for
SPA-AC6, SPA-AC6-D
Panels