zenitel

DATASHEET



1020600753

VMP-36-PELP-Y

Headset with boom mic, headband, and 10m cable for CD-7-VMP

Replacement item: 1020600768

- Portable headset for connection to plugbox CD-7-VMP
- Switchbox w/ M-button and belt clip
- Excellent noise performance
- High attenuating ear shells
- Watertight microphone (IP68)
- Bright yellow colour for enhanced visibility
- Standard with 10 meter cable

IP54 Onboard communication

Description

The VMP-36-PELP-Y headset brings hearing protection and communication in noisy environments into a new level of performance with newly designed speakers and microphone.

The newly designed dual mold cup give a modern and slim look together with bright yellow colour for enhanced visibility.


Applications
The VMP-36-PELP-Y headset can enhance communication in noisy environments and other workplaces, where the workers need to be connected directly to a VMP Station with cable.

Technical Dimensions

www.zenitel.com info@zenitel.com Last revision date: 2022-08-26 09:28

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL

Termination	7 pin plug
Microphone	Noise cancelling microphone, Dynamic 150 Ohm, IP 68 (6m/30min) Sensitivity -71dB±3dB (0dB=1v/Pa 1KHz) @50CM Frequency response 200Hz ~ 7KHz
Earphone/Speakers	46mm diameter, 230 Ohm +/- 10%, SPL 107 +/- 2dB, 100-8000 Hz, IP54
Temperature	-20°C to +55°C
Storage Humidity	< 90%
Protection	IP-54
Attenuation rating (HML)	H=32dB / M=29dB / L=20dB
Attenuation rating (SNR)	31 dB
Dimension (HxD)	Approximately 200x130 mm
Weight	0.292 kg
Colour	Yellow and Black
Manufacturer	Zenitel (3MTM Peltor MT74H52A-110)
Cable	10m

Used With



Light Industrial Master Station

Item Number: 1007080000



Industrial Master Station

Heavy Duty

Item Number: 1007086000

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.