

1020600773

VSP-36-PELP-A

Headset with boom mic, headband, and 10m cable



- ✓ To be used together with CD-4 in noisy areas
- ✓ ON / OFF switchbox w/ belt clip
- ✓ Excellent noise performance
- ✓ High attenuating ear shells
- ✓ Standard with 10 meter cable



IP54



Onboard communication

Description


The VSP-36-PELP-A headset brings hearing protection and communication in noisy environments into a new level of performance with newly designed speakers and microphone.

The dual cup give a modern and slim look and is specially designed to provide excellent noise attenuation.


Applications

The VSP-36-PELP-A headset can enhance communication in noisy environments and other workplaces, where the workers need to be connected to their 2-way handheld or fixed systems throughout the day to help facilitate frequent contacts with co-workers.

Technical Dimensions



Specifications



GENERAL

| | |
|--------------------------|--|
| Termination | Conxall, CXS3106A14S2P300, 4 pin (Plug box CD-4) |
| Microphone | 20,5 mm. dynamic noise cancelling, 240 Ohm+- 30 %, sensitivity -57 dB+-3 dB, 0 dB=1v/pa at 1kHz, frequency response: 50Hz-6KHz. |
| Earphone/Speakers | 27 mm. diameter, 150 Ohm+-15 %, Parallell connection, frequency response: 50Hz-10KHz. |
| Temperature | -40 to +60 degrees C |
| Storage Humidity | < 90% |
| Protection | IP-54 (When worn) |
| Attenuation rating (HML) | H=32 dB / M=28 dB / L=20 |
| Attenuation rating (SNR) | 30 dB |
| CE Certificate no. | 12151RHS01 |
| Dimension (HxD) | Approximately 250 x 150 mm. (adjustable). |
| Weight | 0.4 kg |
| Colour | Black/Yellow |
| Manufacturer | Zenitel (A-kabel) |
| Cable | 10m |

Accessories



Hygiene kit for Headset

Hygiene kit for Headset



Spare Boom Microphone for Headset

Spare Boom Microphone for all A-Kabel type Headsets



Headset Stowage Bracket

Headset stowage Bracket for Wall mounting



Spare Switchbox w/cable for VSP-36-PELP-A



AK6070T Throat microphone for all A-kabel type Headsets

Dynamic Throat Microphone for Headset

Used With



VSP-211-L

Main Station - Batteryless Telephone System - 12-Way



VSP-213-L

Main Station - Batteryless Telephone System - 12-Way



VSP-223-L

Main Station - Batteryless Telephone System - 12-Way



VSP-211M-L

Main Station - Batteryless Telephone System 20-Way



VSP-212M-L

Main Station Panel Mounted
with Relay 20-Way



VSP-213M-L

Main Station - Batteryless
Telephone System - 20-Way



CD-4

Plugbox Waterproof