

2220012100

## C1000-24T-4G-L

Cisco C1000 24port GE with 4x1G SFP

**DISCONTINUED**

CISCO Certified

## Description

Cisco Catalyst 1000 Series Switches are fixed managed Gigabit Ethernet and Fast Ethernet enterprise-class Layer 2 switches designed for small businesses and branch offices. These are simple, flexible and secure switches ideal for out-of-the-wiring-closet and critical Internet of Things (IoT) deployments. Cisco Catalyst 1000 operate on Cisco IOS Software and support simple device management and network management via a Command-Line Interface (CLI) as well as an on-box web UI. These switches deliver enhanced network security, network reliability, and operational efficiency for small organizations.

# Specifications

Cisco Catalyst C1000-24T-4G-L is managed 24-port switch with 24 auto-sensing 10/100/1000 ports and 4x Gigabit Ethernet SFP ports .

## PORTS

10/100/1000 RJ45	24
SFP	4
Console ports	1x RJ45, USB mini-B and USB-A (for storage and Bluetooth console)

## ENVIRONMENT

Operating temperature (Sea level )	-5°to 50°C
Operating relative humidity	5% to 90% at 40°C (non-condensing)

## ELECTRICAL CHARACTERISTICS

Frequency	50 to 60 Hz
Maximum heat dissipation	307.09 BTU/hr
AC voltage	110 to 220 VAC
Current	0.48A at 110VAC, 0.29A at 220VAC
Maximum power Consumption	22.8 W
Maximum Power Wattage for BTU/hr	25.9 W

## DIMENSIONS & WEIGHT

Dimensions (W x D x H)	444 x 240 x 44 mm
Weight	2.63 kg
Mounting	Rack Mountable, 1HU

