



3006200063

## VSPM-JB-20

Junction Box for VSP - Up to 20 telephones



Onboard communication



IP66

## Description

The VSPM-JB-20 is a junction box for up to 20 telephones in our VSP series Batteryless Telephones).

The cabinet is in painted sheet steel with seals and holds IP66 rating (if the optional cable glands are used). The cabinet is from world leading supplier Rittal with lockable front.

From the outside there are optional 24pcs M40 cable glands and on the inside, we have placed a 6x17 terminals (0.25 - 2.5 mm<sup>2</sup>)


## Technical Dimensions

page 1/4

Optional - not mounted 24 pieces, M40 cable glands

LEFT SIDE VIEW

RIGHT SIDE VIEW



# Specifications

## MECHANICAL


Dimensions (WxHxD)	600x600x210 mm
Weight	25 kg
Color	RAL 7035
Material	Painted Sheet steel
Mounting	Wall
Fixing	4 x M8 bolts
Access	Front
Cable Entry	Bottom lid (open) - Bottom/Top (cable glands)
Cable Gland	(Optional) 24 pcs M40 (max)

## ELECTRICAL

Termination	6x17 (102) pcs Wago 2002-1401 0.25 - 2.5 mm <sup>2</sup>
Compass Safe Distance	> 5 m

## ENVIRONMENTAL

Temperature	-25°C to +55°C (Storage: -25°C to +70°C)
Humidity	+93% (at +40°C)
Ingress Protection Rating	IP-66 (when bottom lid is on and cable glands are used)



## Accessories



**M40 Cable Gland for  
VSP Junction Box,  
preinstalled**

M40 Cable Gland for VSP  
Junction box

## Used With



**VSP-211M-L**

Main Station - Batteryless  
Telephone System 20-Way



**VSP-212M-L**

Main Station Panel  
Mounted with Relay 20-  
Way



**VSP-213M-L**

Main Station - Batteryless  
Telephone System - 20-  
Way



**VSP-22M**

Main Station- Watertight  
20-Way