



3006200063

VSPM-JB-20

Junction Box for VSP - Up to 20 telephones



Onboard communication



IP66

Description

The VSPM-JB-20 is a junction box for up to 20 telephones in our VSP series Batteryless Telephones).

The cabinet is in painted sheet steel with seals and holds IP66 rating (if the optional cable glands are used). The cabinet is from world leading supplier Rittal with lockable front.


From the outside there are optional 24pcs M40 cable glands and on the inside, we have placed a 6x17 terminals (0.25 - 2.5 mm²)

Technical Dimensions

Optional - not mounted 24 pieces, M40 cable glands

LEFT SIDE VIEW

RIGHT SIDE VIEW



Specifications

MECHANICAL


Dimensions (WxHxD)	600x600x210 mm
Weight	25 kg
Color	RAL 7035
Material	Painted Sheet steel
Mounting	Wall
Fixing	4 x M8 bolts
Access	Front
Cable Entry	Bottom lid (open) - Bottom/Top (cable glands)
Cable Gland	(Optional) 24 pcs M40 (max)

ELECTRICAL

Termination	6x17 (102) pcs Wago 2002-1401 0.25 - 2.5 mm ²
Compass Safe Distance	> 5 m

ENVIRONMENTAL

Temperature	-25°C to +55°C (Storage: -25°C to +70°C)
Humidity	+93% (at +40°C)
Ingress Protection Rating	IP-66 (when bottom lid is on and cable glands are used)



Accessories



M40 Cable Gland for
VSP Junction Box,
preinstalled

M40 Cable Gland for VSP
Junction box

Item Number: 3006200064

Used With



VSP-211M-L

Main Station - Batteryless Telephone System 20-Way

Item Number: 3006200025



VSP-212M-L

Main Station Panel Mounted with Relay 20-Way

Item Number: 3006200028



VSP-213M-L

Main Station - Batteryless Telephone System - 20-Way

Item Number: 3006200029



VSP-22M

Main Station- Watertight 20-Way

Item Number: 3006200030