

3005020033

**MB-30G**

Gooseneck Microphone

**EN54**

EN 54 Certified



ICX-AlphaCom




Exigo

## Description

- ✓ Electret Gooseneck Microphone
- ✓ 5-pin DIN plug
- ✓ For use in Public Address and Talk-Back Systems
- ✓ For correct operation and performance speaking distance approximate 2cm.

## Technical Dimensions



# Specifications

## GENERAL

Manufacturer	Paso
Type	Electret
Art.no	MB-30G
Impedance	680 ohm
Freq.response	100 - 20000 Hz
Sensitivity	4mv/Pa
Supply	1.1-9 V
Front rear ratio	10 dB
Length	446 mm
Plug	5 pole DIN
Windscreen	Detachable sponge windscreen
Weight	0.1 kg
IP Rating	IP-32
Operating temperature	-15°C to +55°C
Environmental Condition	Protected

## Used With



### ECPIR-3P

Exigo Access Panel /  
Turbine Intercom



### ECPIR-P

Exigo Call Panel, PTT  
Button



### SPA-M6-V2



### SPA-M6-D



### SPA-M1-V2



### SPA-M1-D



### CTB-10

Control Unit This product  
has been replaced by  
Phontech CIS Talk-Back  
System



### CTB-20

Control Unit This product  
has been replaced by  
Phontech CIS Talk-Back  
System



### ETB-5

Central Panel Mounted This  
product has been replaced  
by Phontech CIS Talk-Back  
System



### ETB-10

Central, Panel Mounted  
This product has been replaced by Phontech CIS Talk-Back System



### ETB-10A

Central incl. All-call 10 lines  
panel mounted This product has been replaced by Phontech CIS Talk-Back System



### ETB-100

Central, Panel Mounted  
This product has been replaced by Phontech CIS Talk-Back System



### ETB-100A

Central panel mounted 10 lines  
This product has been replaced by Phontech CIS Talk-Back System