

3005020033

MB-30G

Gooseneck Microphone


**EN54** EN 54 Certified **ICX** ICX-AlphaCom  Exigo

Description

- ✓ Electret Gooseneck Microphone
- ✓ 5-pin DIN plug
- ✓ For use in Public Address and Talk-Back Systems
- ✓ For correct operation and performance speaking distance approximate 2cm.

Technical Dimensions

page 1/5



Specifications

GENERAL

Manufacturer	Paso
Type	Electret
Art.no	MB-30G
Impedance	680 ohm
Freq.response	100 - 20000 Hz
Sensitivity	4mv/Pa
Supply	1.1-9 V
Front rear ratio	10 dB
Length	446 mm
Plug	5 pole DIN
Windscreen	Detachable sponge windscreens
Weight	0.1 kg
IP Rating	IP-32
Operating temperature	-15°C to +55°C
Environmental Condition	Protected

Used With



ECPIR-3P

Exigo Access Panel /
Turbine Intercom



ECPIR-P


Exigo Call Panel, PTT
Button

DISCONTINUED




SPA-M6-V2

DISCONTINUED



SPA-M6-D



SPA-M1-V2



SPA-M1-D



CTB-10

Control Unit This product
has been replaced by
Phontech CIS Talk-Back
System



CTB-20

Control Unit This product
has been replaced by
Phontech CIS Talk-Back
System



ETB-5

Central Panel Mounted This
product has been replaced
by Phontech CIS Talk-Back
System



ETB-10

Central, Panel Mounted
This product has been
replaced by Phontech CIS
Talk-Back System



ETB-10A

Central incl. All-call 10 lines
panel mounted This product
has been replaced by
Phontech CIS Talk-Back
System



ETB-100

Central, Panel Mounted
This product has been
replaced by Phontech CIS
Talk-Back System



ETB-100A

Central panel mounted 10
lines This product has been
replaced by Phontech CIS
Talk-Back System