



tbd

VRMS4-IP

Flush Mount Paging Mic with 4 Buttons - Gooseneck - IP enabled - Vandal Resistant

- ✓ FLUSH MOUNT GOOSENECK MICROPHONE
- ✓ RUGGED VANDAL RESISTANT DESIGN
- ✓ 4 PHYSICAL BUTTONS
- ✓ IP CONNECTIVITY
- ✓ POE POWERED
- ✓ BUILT IN AUTOMATIC GAIN CONTROL
- ✓ COMPATIBLE WITH THE VIPEDIA AND INTEGRA RANGE

Commercial Audio  Public Address

Description

The VRMS4-IP is a flush desk mounting microphone console with a flexible goose neck.

It is a long life, robust and spill proof unit which is designed to work with ASL's range of voice alarm and public address products.

The unit is powered via PoE and provides:

- Four zone selection buttons with Busy and Select LED indications.
- A Press To Talk button with Speak Now LED indication.
- A level indicator showing the peak voice level.

An in-built signal limiting and automatic gain control is provided to help compensate for varying operator technique.

Specifications

Used With



VIPEDIA-12-NET
PAVA Audio router with network card



VIPEDIA-12-PRO
PAVA Audio router with network card -
Dante Enabled



INTEGRA-03
Wall Mount PAVA System (3 amps)



INTEGRA-05
PAVA Wall Mount System (5 amp
channels pre installed)



INTEGRA-07
PAVA Wall Mount System (7 amp
channels pre installed)



INTEGRA-10
PAVA Wall Mount System (10 amp
channels pre installed)



INTEGRA-PRO-03
PAVA Wall Mount System (3 amp
channels pre installed) - Dante® Enabled



INTEGRA-PRO-05
PAVA Wall Mount System (5 amp
channels pre installed) - Dante® Enabled



INTEGRA-PRO-07
PAVA Wall Mount System (7 amp
channels pre installed) - Dante® Enabled



INTEGRA-PRO-10

PAVA Wall Mount System (10 amp
channels pre installed) - Dante® Enabled