



2310120130

DS-D5024FC 23.6 inch Desk Monitor

Desk Monitor

- LED backlit technology
- Full HD 1920×1080@60Hz
- 170°(H)/160°(V)
- HDMI, VGA, BNC input, BNC output, audio in

Description

The DS-D5024FC 23.6 inch Desk Monitor features LED backlit technology with full HD 1920×1080@60Hz and a wide view angle of 170°(H)/160°(V). The monitor has a multiple interface (HDMI, VGA, BNC input, BNC output, audio in), support analog signal input, and a built-in speaker.

DS-D5024FC 23.6 inch Desk Monitor

The monitor can be used for 24/7 operation and has a VESA stand bracket. It has a green energy feature with the ability to enter standby mode when there is no signal output.

Technical Dimensions

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

Dimensions (unit: mm)



www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

Specifications

SCREEN SIZE	23.6 INCH
Pixel Pitch	0.2715 mm x 0.2715 mm
Max Resolution	1920 x 1080 @ 60 Hz
Brightness	250 cd/m ²
Contrast	1000: 1
Response Time	5 ms
Color	16.7M
Active Area (H × V)	525.22mm(H) × 297.22mm (V)
Viewing Angle	Horizontal 170°, vertical 160°
Interfaces	HDMI input: 1
	VGA input: 1
	BNC(in/out): 1 x 1, Out x1
	Audio(L/R): In × 1 Out × 1, 3.5 mm mini-jack
	Headphone: 1
Power Supply	AC 100~240V
Power Consumption	≤30W
Standby Power Consumption	≤ 0.5 W
Loudspeaker	2*2W
Working Temperature	0 to 40 ° C
Working Humidity	10 to 85 %
Storage Temperature	-20 to 55 ° C
Storage Humidity	5 to 95%
Color of Casing	Black
VESA	M4, 100 mm × 100 mm
Dimensions(W*H*D)	561mm × 338mm × 45mm / 561mm × 339mm × 218.5mm (with base)
Package Dimension (W × H × D)	614mm × 465mm × 109mm
Gross Weight	6Kg
Net Weight	5.1kg

Accessories

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.



DS-DM1932W Monitor Wall Mount for DS-D5022FC

Monitor Wall Mount

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.