
zenitel

DATASHEET

1172200021

ICX-LCM-FXS

Wiring kit for FXS-GW-24 gateway



- Complete wiring kit for FXS-GW-24P
- Includes termination board and cable for connection to gateway
- Push-in terminals for easy connection of FXS lines
- Delivered together with 2x Wago 209-120 for DIN rail mounting

Description

Complete wiring kit for FXS-GW-24P analog FXS gateway with termination board for up to 24 FXS extensions and ribbon cable for connection to the gateway.

Technical Dimensions


www.zenitel.com info@zenitel.com

Last revision date: 2025-06-27 16:51


Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.


TOP VIEW



TOP VIEW



SIDE VIEW



www.zenitel.com info@zenitel.com Last revision date: 2025-06-27 16:51

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL SPECIFICATIONS

Number of FXS extensions	24
Dimensions (termination board)	143 x 67,7 x 26,5 mm (HxWxD)
Cable	200 cm ribbon cable
Connector type	50 pin SCSI connector

Used With



FXS-GW-24P

24 port FXS gateway

Item Number: 2200001003

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.