


2340110051

SPA-AC6-MED

Single Alarm Panel




MED Certification

Description

- ✓ Alarm Panel for single system
- ✓ Activating abandon, general or manual alarms
- ✓ Alarm reset button
- ✓ Replaceable text label for each button
- ✓ Separate Emergency button (EMS) for PA message
- ✓ Hinged transparent protecting cover for all buttons
- ✓ To be used together with SPA-M6
- ✓ Flush mounting, back box for wall mounting is available

The alarm panel can start three alarms and emergency message in a SPA-V2 public address and general alarm single system. To be used together with PA panels. For installation in console and indoor use.

Technical Dimensions



Specifications

GENERAL

| | |
|--------------------------------|--|
| Size (WxHxD) | 96 x 144 x 82 |
| Weight | 0.4 kg |
| Material | Black anodized aluminium |
| Mounting | Flush, wall with use of back box |
| Connections | Plugable screw terminals for 2.5 mm ² cable |
| Cable glands | 2 x PG-16 |
| Cable size | 6 x 2 x 0.75mm ² |
| IP-rating | IP-44 |
| Operating temperature | -15°C to +55°C |
| EN60945 environmental category | Protected |
| Compass safe distance | 0.35 m |

GENERAL

Used With



SPA-M6-V2-MED

PA Panel Single with 6 zones, All Call, Dimmer, Flush, Green Backlight