

2340110052

# SPA-AC6-D-MED

**Dual Alarm Panel** 



MED Certification

## Description


- Alarmpanel for dual system
- Activating abandon, general or manual alarms
- Alarm reset button
- Replaceable text label for each button
- Separate Emergency button (EMS) for PA-message
- Hinged transparent protecting cover for all buttons
- To be used together with SPA-M6D
- Flush mounting, back box for wall mounting is available

page 1/4

Buttons backlight with green illumination

The alarm panel can start three alarms and emergency message in a SPA-V2 public address and general alarm dual system.

### **Technical Dimensions**



# **Specifications**

#### **GENERAL**

Size (WxHxD)	96 x 144 x 82
Weight	0.4 kg
Material	Black anodized aluminium
Mounting	Flush, wall with use of back box
Connections	Plugable screw terminals for 2.5 mm2 cable
Cable glands	2 x PG-16
Cable size	6 x 2 x 0.75mm2
IP-rating	IP-44
Operating temperature	-15°C to +55°C
EN60945 environmental category	Protected
Compass safe distance	0.35 m

#### **GENERAL**

## **Used With**



#### SPA-M6-D-MED

PA Panel Dual with 6 Zones, All Call, Dimmer, Flush, Green Backlight

page 4/4