

1015901

## C921-4P

Cisco C921 router with 4GE ports



---

---

## Description

The Cisco 900 Series ISRs deliver integrated security and threat defense, protecting networks from both known and new Internet vulnerabilities and attacks. These powerful, fixed-configuration routers provide secure broadband and Metro Ethernet and wireless LTE WAN connectivity. Service providers offering both managed Ethernet and wireless LTE WAN services can deploy them in customer locations as CPE. Centralized and remote management capabilities are available through web-based tools and Cisco IOS® Software for full visibility and control of network configurations at the remote site.

The 900 Series ISRs simplify the deployment of Ethernet WAN services, with end-to-end Operations, Administration, and Maintenance (OA&M), Service-Level Agreement (SLA) monitoring and verification, and configuration management.

The Cisco 900 Series ISRs come with a 4-port managed switch, providing LAN ports to connect multiple devices.

# Specifications

## TECHNICAL SPECIFICATIONS

---

4x Gigabit Ethernet  
(GE) switch ports

---

2x Gigabit Ethernet  
(GE) WAN interface  
ports

---

## ENVIRONMENT

---

Operating temperature      0° to 50°C

---

Operating relative  
humidity                      5% to 95%  
(noncondensing)

---

## VOLTAGE                      100 TO 240 VAC

---

Frequency                      50 to 60 Hz

---

Electrical  
characteristics

---

## DIMENSIONS & WEIGHT

---

Dimensions (H x W x D)      4.32 x 22.86 x 24.13 cm

---

Weight                          1.2 kg

---

Mounting bracket              Has to be ordered  
separately

---

## Used With



ACS-900-RM-19=

19" Rackmount Kit for  
Cisco C921 Router