zenitel

DATASHEET



1015864

CS33 DECT Handset

DECT Handset incl. battery 1G8/1G9, IP54, Bluetooth

- DECT handset supporting 1G8/1G9 frequency bands
- IP54-rated protection against dust and water
- Bluetooth 5.1 and 3.5 mm headset port
- 2.4-inch colour display with 240 × 320 QVGA resolution
- Clear voice quality with dual microphones, echo cancellation and noise suppression
- Replaceable 1,200 mAh Li-ion battery
- Up to 16 hours of talk time and 120 hours of standby time
- Basic messaging functionality when used with the COBS Messaging Server

IP54

Description

CS33 DECT Handset

The CS33 DECT Handset provides reliable cordless communication for professional users who need mobility, clear audio and straightforward operation. Its large, tactile buttons and high-contrast colour display make everyday use intuitive, while Bluetooth 5.1 and a 3.5 mm headset port provide headset connectivity options.

With IP54 protection and a robust design tested for repeated drops and daily disinfectant cleaning, the CS33 is designed to withstand regular use. The replaceable 1,200 mAh battery provides up to 16 hours of talk time and 120 hours of standby time.

The handset can connect to a PBX system for on-site mobility or to a cloud-based Unified Communications as a Service (UCaaS) system, subject to system compatibility. When used with the COBS Messaging Server, it also supports basic messaging for receiving notifications.

Before deployment, the DECT infrastructure and frequency requirements should be checked against the intended installation. The CS33 requires compatible DECT infrastructure and a minimum firmware version, together with an active Software Maintenance Agreement.

www.zenitel.com info@zenitel.com

Last revision date: 2026-11-19 13:03

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL	
Size	150 x 52 x 18 mm
Weight	151 g incl. battery
Operating temperature	–10 to +55 °C
Charging temperature	0 - 25º C
Speech time	Up to 16 hours
Standby time	Up to 120 hours
Approvals	EMC: EN 301 489-1, EN 301 489-6; Radio: EN 301 406, EN 300 328, FCC, ICES; Safety: EN 62368; Drop test: IEC 60068-2-32; DECT Security: Step B; Environmental: WEEE, RoHS; Energy Efficiency: ErP, DoE, NRCan, GEMs

Accessories



CS3x Desktop Charger

CS3x Desktop Charger w/PS

Item Number: 1015868



CS3x Belt Clip

Belt clip for securing compatible CS3x DECT handsets to a belt or pocket.

Item Number: 1015876



CS3x Holster and Swivel Clip

Fabric holster with a swivel belt clip for compatible Zenitel CS3x DECT handsets.

Item Number: 1015878



CS3x Swivel Clip

Rotating clip for attaching compatible CS3x DECT handsets to a belt.

Item Number: 1015877

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



WS ProTac XPI Bluetooth Headset, Headband, FLX2

Hearing protection headset with Bluetooth connectivity, level-dependent ambient listening and an FLX2 connection for compatible two-way radios.

Item Number: MT15H7AWS6-111



CS33 Spare Battery

Replacement battery for the Zenitel CS33 DECT handset.

Item Number: 1015874

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.