zenitel

DATASHEET



1015866

CS35 DECT Handset

DECT Handset incl. battery 1G8/1G9, IP65, Bluetooth

- Advanced messaging and alarm handling*
- 2.4-inch colour display
- Dedicated alarm button and configurable function key
- IP65 water and dust resistance
- Bluetooth 5.1 and 3.5 mm headset port
- Hands-free, loudspeaker and headset support
- Replaceable 1,800 mAh lithium-ion battery
- Room-level locationing available as a factory option*
- Durable design with drop, abrasion and tumble testing

Description

CS35 Handset

The CS35 Handset is a professional DECT handset designed to support mobile workers with clear voice communication, advanced messaging and alarm handling. Its colour display, tactile keypad and dedicated alarm button provide convenient access to everyday communication and alarm functions.

With Bluetooth 5.1, a 3.5 mm headset port and hands-free operation, the CS35 offers flexible ways to communicate. Its IP65-rated enclosure, replaceable battery and tested drop resistance support use in demanding working environments.

The CS35 can connect to an existing PBX system for on-site mobility or to a cloud-based Unified Communications as a Service (UCaaS) system. When combined with the COBS CMS Messaging Server, it can support customised messaging, alarm handling and integration with compatible third-party systems.

The CMS can integrate the handset with systems such as nurse call, building management, fire alarm and physical security information management (PSIM). Depending on the configuration, the solution can also support integration with wired or wireless alarm buttons, I/O contacts and location beacons.

www.zenitel.com info@zenitel.com Last revision date: 2026-11-19 13:01

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Room-level locationing is available as a factory option. The handset's messaging, alarm management and locationing capabilities depend on the relevant software, infrastructure and system configuration.

www.zenitel.com info@zenitel.com Last revision date: 2026-11-19 13:01

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL	
Size	150 × 52 × 20 mm
Weight	165 g incl. battery
Operating temperature	–20 to +55 °C
Charging temperature	0 - 25º C
Speech time	Up to 24 hours
Standby time	Up to 200 hours
Approvals	EMC: EN 301 489-1, EN 301 489-6, FCC, ICES; Radio: EN 301 406, EN 300 328, FCC, ICES; Safety: EN 62368; Drop test: MIL-STD-810H, IEC 60068-2-32; DECT Security: Step B; Environmental: WEEE, RoHS; Energy Efficiency: ErP, DoE, NRCan, GEMs

Accessories



CS3x Desktop Charger

CS3x Desktop Charger w/PS

Item Number: 1015868



CS3x Programming Device

Programming device for CS33, CS35 and CS37 handsets

Item Number: 1015869



CS35/CS37 Desktop Dual Charger w/PS

Desktop or wall-mounted charger for one CS35 or CS37 handset and one spare battery.

Item Number: 1015871



CS3x Multi Charger 6x Handset

Multi charger for up to six Zenitel CS3x DECT handsets, with desktop or wall-mounted installation.

Item Number: 1015872

www.zenitel.com info@zenitel.com Last revision date: 2026-11-19 13:01

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



CS3x Power Supply Multi Charger, EU

EU power supply for the CS3x multi charger.

Item Number: 1015873



CS35/CS37 Spare Battery

1800 mAh lithium-ion spare battery for CS35 and CS37 DECT handsets.

Item Number: 1015875



CS3x Belt Clip

Belt clip for securing compatible CS3x DECT handsets to a belt or pocket.

Item Number: 1015876



CS3x Swivel Clip

Rotating clip for attaching compatible CS3x DECT handsets to a belt.

Item Number: 1015877



CS3x Holster and Swivel Clip

Fabric holster with a swivel belt clip for compatible Zenitel CS3x DECT handsets.

Item Number: 1015878

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.