

1015867

CS37 DECT Handset

DECT Handset incl. battery 1G8/1G9, IP67, Bluetooth

- Built-in sensors for no-movement, man-down and running detection
- Personal alarm button and support for an optional pull cord
- 2.4-inch colour display with 240 × 320 QVGA resolution
- IP67 water and dust resistance
- Bluetooth 5.1 and 3.5 mm headset connection
- Replaceable 1,800 mAh Li-ion battery
- Built-in vibrator and LED flashlight
- Advanced messaging, alarm handling and integration through the COBS CMS Messaging Server

IP67

Description

CS37 Handset

The CS37 DECT Handset is designed for lone workers, security personnel and other mobile professionals who need reliable voice communication, messaging and personal alarm functionality. It combines a robust design with built-in sensors to help detect potential incidents and support timely responses.

The handset includes no-movement, man-down and running detection, as well as a dedicated alarm button. An optional pull cord can provide an additional way to trigger an alarm. The 2.4-inch colour display, tactile buttons and user-friendly menu support straightforward operation in demanding working environments.

For advanced messaging, alarm handling and integration, the CS37 can be used with the COBS CMS Messaging Server. With the appropriate server and infrastructure, it can integrate with wired or wireless alarm buttons, I/O contacts and third-party systems, including nurse call, building management, fire alarm and physical security information management (PSIM) systems.

The handset can connect to an existing PBX system for on-site mobility or to a cloud-based Unified Communications as a Service (UCaaS) system. Precise, room-level location information is available when supported by the required infrastructure.

Designed for professional use, the CS37 features IP67 water and dust resistance, a replaceable battery and audio functions including echo cancellation and noise suppression. It supports headset, hands-free and loudspeaker use, with Bluetooth 5.1 and a 3.5 mm headset port.

www.zenitel.com info@zenitel.com Last revision date: 2026-11-19 13:01

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL	
Size	150 × 52 × 20 mm
Weight	165 g incl. battery
Operating temperature	–20 to +55 °C
Charging temperature	0 - 25º C
Speech time	Up to 24 hours
Standby time	Up to 200 hours
Approvals	EMC: EN 301 489-1, EN 301 489-6, FCC, ICES; Radio: EN 301 406, EN 300 328, FCC, ICES; Safety: EN 62368; Drop test: IEC 60068-2-32; DECT Security: Step B; Environmental: WEEE, RoHS; Energy Efficiency: ErP, DoE, NRCan, GEMs.

Accessories



CS3x Desktop Charger

CS3x Desktop Charger w/PS

Item Number: 1015868



CS3x Programming Device

Programming device for CS33, CS35 and CS37 handsets

Item Number: 1015869



CS35/CS37 Desktop Dual Charger w/PS

Desktop or wall-mounted charger for one CS35 or CS37 handset and one spare battery.

Item Number: 1015871



CS3x Multi Charger 6x Handset

Multi charger for up to six Zenitel CS3x DECT handsets, with desktop or wall-mounted installation.

Item Number: 1015872

www.zenitel.com info@zenitel.com Last revision date: 2026-11-19 13:01

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



CS3x Power Supply Multi Charger, EU

EU power supply for the CS3x multi charger.

Item Number: 1015873



CS35/CS37 Spare Battery

1800 mAh lithium-ion spare battery for CS35 and CS37 DECT handsets.

Item Number: 1015875



CS3x Belt Clip

Belt clip for securing compatible CS3x DECT handsets to a belt or pocket.

Item Number: 1015876



CS3x Swivel Clip

Rotating clip for attaching compatible CS3x DECT handsets to a belt.

Item Number: 1015877



CS3x Holster and Swivel Clip

Fabric holster with a swivel belt clip for compatible Zenitel CS3x DECT handsets.

Item Number: 1015878

www.zenitel.com info@zenitel.com Last revision date: 2026-11-19 13:01

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.