zenitel

DATASHEET



2211100526

C3110i DECT Handset Rough, IP65-V4

Rugged DECT handset with IP65 protection

- IP65-rated protection against dust and water
- 1.8-inch colour display with seven lines
- Built-in vibrator for noisy environments or discreet notifications
- Loudspeaker and hands-free functionality
- Dedicated alarm button and additional function key
- 2.5 mm headset connection
- Rechargeable Li-ion battery
- Supports advanced alarm handling, subject to system configuration

Description

C3110i DECT Handset Rough

The C3110i DECT handset rough is a rugged cordless handset designed for mobile voice communication and alarm handling in environments where protection against dust and water is important. Its IP65 rating, colour display and hands-free functionality support everyday communication across compatible DECT systems.

The handset features a 1.8-inch colour display with seven lines and a built-in vibrator for notifications in noisy environments or when discretion is required. A dedicated alarm button provides direct access to the handset's alarm function, while an additional function key supports alarm acknowledgement, soft alarms and calls to colleagues.

The handset supports advanced alarm handling, including priority information, alarm identification, dynamic and extended alarm lists, and automatic alarms. The availability and behaviour of these functions depend on the connected DECT system and its configuration.

A 2.5 mm headset connection is provided for compatible headsets. The handset uses a rechargeable Li-ion battery.

www.zenitel.com info@zenitel.com

Last revision date: 2026-11-19 13:03

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL	
Size (WxHxD)	152 x 53 x 27 mm
Weight	0.138 kg
Display	1,8" 65 000 colors
Operational temperature	0-40°C
Speech/ standby time	16/150h
Ingress protection	IP65
Headset interface	2,5mm jack plug
Built-in vibrator	Yes
Menu languages	Swedish, English, Danish, German, French, Dutch, Finnish, Norwegian, Spanish, Czech, Polish, Portuguese and Italian
Radio frequency	EMEA, 1881.792-1897.344 MHz

Accessories



Rough V3 Charger for C-31xx

Desktop charger for C-31xx series rough DECT handsets.

Item Number: 2211100230



Power Supply for Rough V3 Charger for C-31xx

Power supply for the Rough V3 charger for C-31xx series rough DECT handsets.

Item Number: 2211100231



Belt Clip with Connector for Handset Rough V2 & V3

Belt clip with connector for compatible Rough V2 and V3 handsets.

Item Number: 2211100703

Used With

www.zenitel.com info@zenitel.com Last revision date: 2026-11-19 13:03

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



IP DECT Server & Base KWS400 1G8 System, up to 12 Handsets

IP DECT server and base station for cordless communication in Zenitel ACM systems, supporting up to 12 handsets.

Item Number: 2211020145



IP DECT Server KWS6500

19-inch rack-mount IP-DECT server with 110–240 V AC power supply

Item Number: 2211020146

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.