

1021002100

## VSS-MU

VSS Microphone Unit - V2 This item has been replaced by Phontech Sound Reception System

This product is replaced by [P-8301 MkII Microphone Unit](#)



## Description


Complete microphone unit for the VSS-V2 sound reception system.

- ✓ Mounting stand on plate
- ✓ Stainless steel construction
- ✓ Environment -55°C to +55°C
- ✓ Power from the VSS master panel
- ✓ 4 directional microphones

The VSS-V2 sound reception system complies to ISO 14849:2012 Ships and marine technology - Sound reception systems. The VSS-V2 system is Wheelmarked and supports EU MED directive.

The system is a navigation aid system required on ships with enclosed bridges. The system enables the officer in charge of the navigational watch to hear sound signals and determine their direction.

## Technical Dimensions



# Specifications

## GENERAL

Housing	Stainless steel
IP rating	IP-67
Environment	-55°C to + 55°C
Directional microphones	4
Max. ambient noise level	70dB
Power	Internal from the master panel
Size (HxØ)	660 x 250 mm
Weight	5.0 kg

## Accessories



### VSS-SPK

VSS-V2 Spare Part Kit for VSS-MU (revision 2.06 or earlier) This item has been replaced by Phontech Sound Reception System



### VSS-SPK-207

VSS-V2 spare part kit for VSS-MU (revision 2.07) This item has been replaced by Phontech Sound Reception System

## Used With



### VSS-MP

VSS Master Panel - V2 This item has been replaced by Phontech Sound Reception System



### VSS-SP

VSS Slave Panel - V2 This item has been replaced by Phontech Sound Reception System