

4000014774

P-6035/10

Headset with 10-meter Cable



- 10-meter cable
- Low smoke and halogen free cable
- Rugged headset for Industrial environments
- ON/OFF Switch
- Excellent noise performance
- High attenuating ear shells
- CENELEC safety standards: EN 60079-0: 2012 + A11: 2013 & EN 60079-11: 2012
- IEC safety standards: IEC 60079-0: 2011, IEC 60079-11: 2011

DESCRIPTION

The P-6035/10 is a hearing protective headset for use together with Intercom Systems in noisy environments. P-6035/10 is equipped with high attenuating shells with optimized acoustic design and excellent space for the ears for the best possible sound quality and comfort.

The P-6035/10 comes with a quick positioning noise-cancelling boom microphone.

SPECIFICATIONS

MECHANICAL

Dimensions (HxD)	Approximately 230x125 mm
Weight	339 g without cable, 375 g with cable
Cable	10-meter flexible durable cable

ELECTRICAL

Termination	Flying leads
Microphone	Dynamic, Noise Cancelling, -57+/-3dB (0dB=1V/pa 1 kHz), nom 230Ω. Frequency response: 50Hz-6KHz, 27 mm diameter.
Earphone	150Ω+/-15%, 124dB+/-3dB, 600-1200Hz

ENVIRONMENTAL


Temperature	-30°C to +60°C
Humidity	<90% humidity, -20+50°C
Ingress Protection Rating	IP-54
Attenuation Rating (HML)	H=31dB / M=26dB / L=20dB
Attenuation Rating (SNR)	29 dB

ORDER NUMBER

DESCRIPTION

4000017147	P-6035/15 Headset With 15m Cable
------------	----------------------------------

TECHNICAL DIMENSIONS



USED WITH

Created: 11.12.2019, updated: 08.05.2020

page 2/3

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel - All rights reserved.

4000200600

P-7212

Industrial VoIP Telephone



4000200500

P-6212

Industrial Telephone

