


1008140100

TA-10

Relay Module

 AlphaCom

 Exigo



DESCRIPTION

- Designed for use with Turbine Industrial IP Intercom stations
- Dual high-power relays (DPDT)
- Up to 400VAC / 48 VDC per relay
- Up to 6A current per relay
- Heavy-duty spring-loaded terminals with spare grounding terminals
- Powered by Turbine Industrial stations (TFIE-x) or Turbine Extended Kit (TKIE-1)

The TA-10 is a 2x DPDT, high-power relay module for the TFIE family of Turbine Industrial stations and the TKIE kit. It may also be used with the EAPII series access panels for the Exigo PA/GA system.

SPECIFICATIONS

MECHANICAL

Dimensions (WxDxH) 100 x 50 x 40 mm

Weight 100 g

ENVIRONMENTAL

Operational Temperature -40°C to + 70°C

Storage Temperature -40°C to +70°C

Ingress Protection (IP) N/A

Impact Protection (IK) N/A

ELECTRICAL

Drive Voltage 12V (from Turbine Extended)

Switched Voltage < 250VAC Rated (400VAC Max)

Switched Voltage < 2000 VA max

Switching Current < 8A rated (15A max, 4s)

USED WITH



1023201206

EAPII-6

Exigo Industrial Access Panel, 6 Buttons



1023201201

EAPII-1

Exigo Industrial Access Panel, 1 Button



1008122010

TFIE-1

IP and SIP Intercom

1008122020

TFIE-2

IP and SIP Intercom



1008132020

TKIE-2

Turbine Extended IP Kit



1008122060

TFIE-6

IP and SIP Intercom

